

CFT REF: B51-DHAK-LOG-2020/04

Issue date: January 23, 2020

International Call for Tender

To Supply Assistive Devices in Bangladesh

Deadline of submission: February 15, 2020

FOREWORD

Handicap International Federation - Humanity & Inclusion (HI) is an independent and impartial international aid and development organisation working in situations of poverty and exclusion, conflict and disaster. Working alongside people with disabilities and vulnerable groups, it takes action and provides testimony in order to meet their basic needs, improve their living conditions and promote respect for their dignity and their fundamental rights. Handicap International is a non-profit organisation with no religious or political affiliation. It operates as a federation made up of a network of associations which provide human and financial resources, manage projects and implement its actions and campaigns. Handicap International is present in Bangladesh since 1997.

Objectives

Handicap International - humanity & inclusion, Bangladesh is looking for an established Assistive Device (AD) service provider to supply HI for its projects in different location of the country for long term basis at least 1 year (renewable to 2 years) under framework agreement. If you are interested to make a business with us, please submit your Quotation/Proposal/Financial offer along with technical specifications per mentioned details in ANNEX-A by ensuring the following information.

General Terms & Conditions:

Offer Validity	Suppliers are requested to mention the validity period of your quotation. HI requires minimum one year from the agreement date (if selected).		
Transportation	Supplier must mention clearly the transportation mode and cost for different locations, at Dhaka, Cox's Bazer, Teknaf, Ukhiya, Kurigram & Sitakundu and other areas of the country. International supplier must cover the cost of delivery under DDP incoterm (shipment, cargo, customs, local transport, etc.) up to the destination of delivery.		
Tentative delivery location Dhaka, Cox's Bazer, Teknaf, Ukhiya, Kurigram & Sitakundu and other areas of the country.			
Payment Terms:	Payment will be transferred to your company bank account directly or can be made account payee cheque within 15 to 20 working days after satisfactory delivery acknowledgement, upon quantity and quality checked by the recipient and technical person and after submission of invoice and delivery challan. The supplier must mention his Bank Account Name & Number, IBAN/SWIFT Code, Bank Name & Branch Name and work order reference number in invoice / Bill with a company seal.		
Advance	No advance payment will be entertained.		



VAT and TAX	Suppliers must include price with VAT and TAX in financial offer. If supplier not mentions VAT and Tax information clearly, Handicap international will consider their offer including both. VAT & Tax will be deducted at source by HI as per Bangladesh Government taxation (NBR) rules.				
Enclose with Financial Offer	 Copy of valid Company Trade / Business license / Certificate of Incorporation; Company Tax Identification Certificate and VAT Registration certificate; Product catalogue with details technical specification (incl. picture) of each items; Mention price in currency BDT / USD / EURO (for Bangladeshi national and local supplier must quote in BDT); Statement that vendor will adhere to HI's terms and conditions; Offer Validity; Delivery lead time; Proof of similar experience with other NGO/INGO or International agencies; Information of service centre for customisation/modification option and warranty facility; 3 client reference contact information; Bank Solvency Certificate & last 1 year bank statement (original scan copy); 				
Submission Deadline:	 The quote must be submitted on or before February 15, 2020. Offer submitted after the deadline will not be considered. 				
Submission Method:	Electronic submission: You can submit your offer by e-mail to: callfortender@hi.org Your email attachment (as scan copy / PDF format) must not be exceeding 15 MB. Please specify Quotation for AD, Ref: B51-DHAK-LOG-2020/04 in your email's subject line. Your quotation must be signed and stamped in all relevant places. Hardcopy submission: You can also submit hardcopy offer at address below: Quotation must be signed and stamped in all relevant places, and submitted through a sealed envelope. Subject: Quotation for AD, Ref: B51-DHAK-LOG-2020/04 Attn: Logistics Department Handicap International Federation, Bangladesh Country office Address: House: 3/A, Road 36, Gulshan, Dhaka – 1212, Bangladesh.				
Selection Criteria	Tender committee of Handicap International will select supplier considering the price, quality of each items, delivery time, after sales service, payment terms and modalities, work experience with others organisations. Handicap International preserves the right to choose multiple suppliers under Framework Agreement considering best value for money criteria.				
Acceptance or rejection of quotations	Handicap International Tender committee preserves the right to accept or reject any or all quotations without assigning any reason and not bound to select only lowest bidder at any cause.				



CFT REF: B51-DHAK-LOG-2020/04

Annex-A List and specifications of Assistive Devices

(to be quoted with supplier's letterhead with sign & stamp)

S/N	Name	Additional Description	Picture of the item	Tentative QTY Round the year	Unit	Unite Price	Total Price
1	AFO (Ankle Foot Orthosis)- Adult	Made of propylene, Prefabricated plastic brace / holder that fits around the back of the ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.		18	Pcs		
2	AFO (Ankle Foot Orthosis)- Child	Made of propylene, Prefabricated plastic brace / holder that fits around the back of the ankle joint and hold it in a 90° position (open orthosis). 2 Velcro straps: 1 around the shin and 1 across the front of the ankle.		18	Pcs		
3	Arm Sling/ Shoulder Sling	Prefabricated articulated arm sling in light, breathable, washable fabric (canvas fabric) Reversible to fit right or left arm. Sling needs to support a forearm in a plaster cast, if necessary. A strap (Adjustable cushioned shoulder pad) attached to the arm piece is worn around the neck to support the forearm. Velcro fasteners and adjustable strap.		35	Pcs		
4	Axillary Crutch- Adjustable-	Light weight and Durable made of high quality aluminum alloy, soft		61	pair		



	Large	comfortable hand grip (ergonomic) made of TPR material, pre-assembled including crutch tips(If possible, rubber tips with metal inlay for longer resistance), underarm pads. Height adjustable with butterfly screws.			
5	Axillary Crutch- Adjustable- Child	Light weight and Durable made of high quality aluminum alloy, soft comfortable hand grip (ergonomic) made of TPR material, pre-assembled including crutch tips(If possible, rubber tips with metal inlay for longer resistance), underarm pads. Height adjustable with butterfly screws.	40	pair	
6	Axillary Crutch- Adjustable- Medium	Light weight and Durable made of high quality aluminum alloy, soft comfortable hand grip made of TPR material, preassembled including crutch tips, hand grip, underarm pads. Height adjustable with butterfly screws.	102	Pair	
7	Balance/Coord ination board (sitting and standing)		1	Pcs	
8	Ball, Soft Gripper Foam Ball	Made of high quality fabric with soft foam filler	107	Pcs	
9	Ball, Soft Gripper Gel Ball	High quality material (Made of silicone) and textured surface will give a fantastic and comfortable touch feeling.	105	Pcs	



10	Battery operated wheelchair	The design consists of an electric motor, a drive system, mo tor and steering controls, and a power supply. Use of sealed lead acid batteries (SLA), wet or dry cell batteries that have an output of 4 to 5 amps. The battery can be recharged using a standard electrical outlet when the wheelchair/tricycle is not being used.	1	Pcs	
11	Battery operated wheelchair	The design consists of an electric motor, a drive system, mo tor and steering controls, and a power supply. Use of sealed lead acid batteries (SLA), wet or dry cell batteries that have an output of 4 to 5 amps. The battery can be recharged using a standard electrical outlet when the wheelchair/tricycle is not being used.	1	pcs	
12	Battery operated tricycle	The design consists of an electric motor, a drive system, mo tor and steering controls, and a power supply. Use of sealed lead acid batteries (SLA), wet or dry cell batteries that have an output of 4 to 5 amps. The battery can be recharged using a standard electrical outlet when the wheelchair/tricycle is not being used.	1	pcs	



13	Motor operated tricycle	The design consists of an electric motor, a drive system, mo tor and steering controls, and a power supply. Use of sealed lead acid batteries (SLA), wet or dry cell batteries that have an output of 4 to 5 amps. The battery can be recharged using a standard electrical outlet when the wheelchair/tricycle is not being used.	1	pcs	
14	Bed pan (Toilet pot)	Made of high quality medical grade polypropylene plastic or metal with secure fitted lid, suitable for both male and female use. Lightweight, strong and durable with ergonomic seat With inside ledges for easier installation and soft rim to prevent injuries.	160	Pcs	
15	Bed Urinal pot/ Urine Flask - Female	Made of high quality medical grade polypropylene plastic with secure easy grip handle, lightweight, strong and durable. 1000ml capacity, large opening	125	Pcs	
16	Bed Urinal pot/ Urine Flask - Male	Made of high quality medical grade polypropylene plastic with secure easy grip handle, lightweight, strong and durable. 1000ml capacity	125	Pcs	
17	Behind the ear hearing aids (BTE) with Earmold (customized)	Hooks over the top of the ear and rests behind the ear. A tube connects the hearing aid to a custom earpiece called an earmold that fits in the ear canal.	1	Pcs	
18	Bobath Sling	comfortable feeling by memory foam (" viscoelastic" polyurethane foam) ,wide strap and high quality fabric	35	Pcs	
19	Cervical Collar / Cervical	made from high density polyurethane foam with	180	Pcs	



İ	Brace	higher cushioning,			1		
	Brace	dermophillic cotton, rust					
		proof ventilation,	AIL				
		dermophillic					
		Low tech basic					
		communication board					
20	Communicatio n board-1	A board with symbols or pictures that is used to facilitate communication for persons with limited expressive language ability. Children communicate using the board by pointing and gesturing or gazing at the various symbols and pictures.	I me, my more more	16	Pcs		
		Low tech basic communication board A board with symbols or pictures that is used to	I want to				
21	Communicatio n board-2	facilitate communication for persons with limited expressive language ability. Children communicate using the board by pointing and gesturing or gazing at the various symbols and pictures.	dolar ball.	1	Pcs		
22	Compression Socking – Thigh High)	High quality high denier yarns, tapered shape, uniform compression, durable, soft and comfortable, anti slip silicone belt Washable and re-usable. Depending on the context, it is advisable to check the quality of fabrics and intended use in regard to hot climate environment.		25	Pcs		
23	COMPRESSION SOCKINGS - Mid Thigh	High quality high denier yarns, tapered shape, graduated compression, durable, soft and comfortable Washable and re-usable. Depending on the context, it is advisable to check the quality of fabrics and		25	Pcs		



		intended use in regard to hot climate environment.			
24	Congenital Talipes Equinovarus (CTEV) orthosis	For correction of congenital club foot	1	Pcs	
25	Corner Chair	Made from wood, foam, tissue V-shaped back rest designed to support trunk and sides during sitting Adjustable back rest and head rest height. Optional accessories include adductor block, trunk and/or head support, tray table (fixed and removable).	37	Pcs	
26	Crepe Bandage/Elasti c Bandage	Made from 75% soft cotton, 15% spandex, 10% polyester. Should retains elasticity after repeated use and washing. A fastener (metal clip or Velcro) to hold the bandage in place. Washable and breathable. Non-sterile. Width: 3 and 4 inch	260	Pcs	
27	Crutch Tips	Made from heavy duty rubber, metal washer reinforced base Non slip cushioning Adaptable with a variety of mobility aids including cane, crutches and walking frames.	1700	Pcs	
28	Pressure relief cushion	High quality double layer foam with cotton cover. Tube or square shape	76	Pcs	



29	Denis Brown Shoe	Helps in foot abduction		1	Pcs	
30	Education Material Kit (number blocks,		4 6 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1	Pcs	
31	Education Material Kit (building blocks,)			1	Pcs	
32	Education Material Kit (shape blocks,)			1	Pcs	
33	Education Material Kit (letter blocks)		OF-C-D-D-GH-O-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-D-	1	Pcs	



34	Education Material Kit (puzzles)		Vector skock* Manufacture Assertations	1	Pcs	
35	Elbow Crutch- Adjustable- Child	Light weight and long-lasting made of high quality aluminum alloy, preassembled crutch tips, comfortable hand grip, adjustable arm rest		95	Pcs	
36	Elbow Crutch- Adjustable- Large	Light weight and long-lasting made of high quality aluminum alloy, preassembled crutch tips, comfortable hand grip(Ergonomic handle), adjustable arm rest Possibility of adjustable forearm section Adjustable floor to handgrip. for maximum use and comfort of patient. Prefer rubber tips with metal inlay for greater resistance.		215	Pcs	
37	Elbow Crutch- Adjustable- Medium	Light weight and longlisting made of high quality aluminum alloy, preassembled crutch tips, comfortable hand grip (Ergonomic handle), adjustable arm rest Possibility of adjustable forearm section Adjustable floor to handgrip. for maximum use and comfort of patient. Prefer rubber tips with metal inlay for greater resistance.		225	Pcs	
38	Extensor splint	Post-injury extensor tendon healer		1	Pcs	



			AED OF			
39	Foot Drop Splint	Foot drop preventer		13	Pcs	
40	Gaiter (Arm/Leg)	Immobilizer and stabilizer of joints	Jobskin	1	Pcs	
41	Hand gripper			32	Pcs	



42	Hand Splint (Static/Dynami c)	Fabricated from rigid or semi-rigid plastic (Polyethylene, co-polymer or similar) The splint is designed to maintain the wrist and hand in functional position: Wrist in 30 degrees extension, slight flexion in metacarpophalangeal joints and thumb in opposition. Suspension and control provided by three Velcro straps, positioned at forearm, wrist and fingers. Left OR right hand models		23	Pcs	
43	Hearing Aid with Double cord	Made by Siemens	SIEMENS TO BE	1	Pcs	
44	Hearing Aid with single cord	Made by Siemens	SIMMAS	1	Pcs	
45	Knee Ankle Foot Orthosis(KAFO)			1	Pcs	
46	Knee Brace- Open Patella & Hinge	Soft, resistant and washable material. Pre-fabricated brace, designed to match the anatomical shape of the joint. Suspension and straps configuration varies. Commonly consists of 2 velcro straps positioned proximal and distal to the patella. Soft and malleable material, usually neoprene. Easily washable. Lateral reinforcements. Patellar window with reinforcement		1	Pcs	



		for additional patella support and to facilitate correct positioning of the device. Specific left and right sided models. Four way stretchable	es es			
47	Knee Cap	fabric,uniform compression, tepered shape, hypoallergic		1250	Pcs	
48	Knee Orthosis with Knee Joint			1	Pcs	
49	Knee Orthosis without Knee Joint		OF THE STATE OF TH	1	Pcs	
50	Knee Support- Open Patella			1	Pcs	
51	Lumber Corset / Lumber Brace / Lumber Orthosis	Elastic webbing, double pull velcro, pre shaped semi rigid splints, anatomically tarped shape		1951	Pcs	
52	Mattress , Foam With Plastic Cover			763	Pcs	



53	Mattress, Pressure Relief	High resilient molded foam (HR) (>45kg/m3) Mattress with pressure relief properties in recumbent position to prevent the risk of bedsores. Mattress with nodular foam. With removable, waterproof and washable pillow case. The components of the mattress should be longlasting and resistant to frequent handling.	1kn	265	Pcs		
54	Mirror with Handle	Wooden/plastic handle(Easyto hold handle.), size: 27*13 cm, mirror surface wide:11 cm	Z em	35	Pcs		
55	Mirror, Medium Size	Wood framed medium size mirror		1	Pcs		
56	Object Reacher	Manufactured in light weight material (plastic) not exceeding 400 grammas. Grasping device with a nonslip jaw at the end of a handle, activated by a trigger at wrist - finger level. Approximate length: 70 cm.	15	16	Pcs		
57	Pillow - Cushion	Foam (35kg/m3) Covered with leatherette (artificial leather / PVC leather), thick fabric, water-resistant, washable and preferably dark color. Square cushion with approximate size. Length = 50 cm, width = 50 cm		210	Pcs		
58	Pillow - Neck (Soft microcellular foam with a colored cover in imitation leather)	Open circle cushion. The components of the cushion should be longlasting, washable and resistant to frequent handling.		1	Pcs		
59	Pillow – Rectangular (Foam (35kg/m3)	Covered with leatherette (artificial leather / PVC leather), thick fabric, and water-resistant, washable		1	Pcs	- 14 of 2'	



		and preferably dark color.)			
60	Pillow – Round (Foam (35kg/m3)	Covered with leatherette (artificial leather / PVC leather), thick fabric, and water-resistant, washable and preferably dark color.)	1	Pcs	
61	Pillow – Semi Cylindrical.	Covered with leatherette (artificial leather / PVC leather), thick fabric, and water-resistant, washable and preferably dark color.)	1	Pcs	
62	Pillow – Wedge	Covered with leatherette (artificial leather / PVC leather), thick fabric, and water-resistant, washable and preferably dark color.)	1	Pcs	
63	Prosthesis, Above Knee		1	Pcs	
64	Prosthesis, Below Knee		1	Pcs	
65	Special seat/Cp Wheel chair - Customized	As per measurement will provide by the HI	27	Pcs	



66	Special seat/Cp Wheel chair	Well cushioned seat with back rest covering head rest including trunk and pelvic support belt, thigh divider (to maintain abduction position) with proper cushion, foot rest with velcro stra, also forearm strap ,movable and adjustable leg rest(to maintain knee on extension position). If possible with Tray.		6	Pcs	
67	Sitting Chair- Normal Plastic/ Wooden	made from high quality plastic with arm rest and back rest		11000	Pcs	
68	Ball, Soft Ball	Foam made soft ball		77	Pcs	
69	Spectacle		50	1	Pcs	
70	Splint (resting & dynamic both)			1	Pcs	



71	Standing Frame	frame made of G.I pipe, tray made of wood, well cushioned knee support, good quality velcro straps(foot straps, knee steps), with pelvic and chest support belt. Height adjustable, (if possible attached frame made form iron bar for holding toys.)	35	Pcs	
72	Taylor Brace		1	Pcs	
73	Taylor Brace- adjustable	light weight and durable ,should be adjustable to provide accurate shape and comfort	53	Pcs	
74	Therapeutic toy like peg velcro, posting ring)		25	Pcs	



75	Tilt chair		1	Pcs	
76	Tilting wooden horse for static balance practice		16	Pcs	
77	Toilet Chair With Bucket	Made of stainless steel/high quality aluminum alloy, foldable, With removable toileting seat and a toilet bowl/bucket Stable armrests (can be removable for easier transfer). The components of the chair should be light-weight (easy to transport) and washable (ensure hygiene).	700	Pcs	
78	Toilet Chair Without Bucket	Made of stainless steel/high quality aluminum alloy, foldable, With removable toileting seat, commode of Asian type. Stable armrests (can be removable for easier transfer). The components of the chair should be light-weight (easy to transport) and washable (ensure hygiene).	350	Pcs	



79	Transfer Board	Made with strong plastic or wood. Mix of 1 straight and 1 curve If possible: with cut-out handles for gripping. Light	10	Pcs	
80	Tray, Adjustable for wheel chair and special seating chair	Adjustable wooden or strong plastic tray	1	Pcs	
81	Tricycle- Customized	As per the measurements will provide by the HI	54	Pcs	
82	Tricycle	Proper and easier hand cycling system, if possible rear tire with push bar. Proper breaks system. Well cushioned seat, arm and back rest. Well foot rest and user friendly for person with disability (Like easy to in and out). Calling bell, looking glass., if possible extra basket on the posterior of back rest.	1	Pcs	
83	Trolley, Long	For transportation of goods	50	Pcs	



84	Trolley, Low		1	Pcs	
85	Walker- Child Closed	Steel and plastic. Walker with 4 fully rotating wheels. Sling seat of the walker is adjustable for different sizes, removable and washable. Front bar (with non-slip grip) enables manual bearing for user. The frame can be adjusted according to height of user.	30	Pcs	
86	Walker- Child Posterior	Made form aluminum, foldable and height adjustable with rest seat. Rear wheels should move forwards only and lock when frame pushed back. Front wheels should be able to swivel or locked to go straight only	33	Pcs	
87	Walker- Child without wheel	Made from aluminum tubing light weight, foldable, height adjustable legs with rubber ferrule tips, ergonomic handles.	35	Pcs	
88	Walking Frame /Walker (Adjustable) with Four Wheels-adult	Made from lightweight aluminum frame, foldable, puncture proof wheels, padded rest seat with cushioned safety bar, ergonomic hand grip.	36	Pcs	
89	Walking Frame/ Walker (Adjustable) with no wheel- Adult	Made from aluminum tubing light weight, foldable, height adjustable legs with rubber ferrule tips, ergonomic handles.	36	Pcs	
90	Walking Frame/ Walker (Adjustable) with Two Wheels-Adult	Made from aluminum tubing light weight, foldable, height adjustable legs with rubber ferrule tips, with two front wheel, ergonomic handles.	55	Pcs	



91	Walking Frame/ Walker (Adjustable) with Two Wheels- Children	Made from aluminum tubing light weight, foldable, height adjustable legs with rubber ferrule tips, with two front wheel, ergonomic handles.	55	Pcs	
92	Walking Stick Four Point /Quadripod Cane- Adjustable	Made of chrome plated steel/ aluminum, light weight and durable, cane with four feet, adjustable in height with ergonomic handle (high quality polymer material). Rubber tips with metal inlay for greater resistance	90	Pcs	
93	Walking Stick, Tripod Cane /Three point - Adjustable	Made of chrome plated steel/ aluminum, light weight and durable, cane with three feet, adjustable in height with ergonomic handle (high quality polymer material).	90	Pcs	
94	Walking Stick- Adjustable	Made from aluminum, light and durable, height adjustable with ergonomic handle made from high quality polymer material. If possible, rubber tips with metal inlay for greater resistance.	2650	Pcs	
95	Wheel chair - Belt	Foam and soft tissue belt thick double foam padding, secure lock and release Attach straps via velcro or latch system. 1 strap for pelvic /abdomen 2 optional straps for trunk Resistant and washable straps Width and height adaptable.	50	Pcs	
96	Wheel Chair Tool Kit	One rear seat bag	90	Pcs	



97	Wheel Chair Tool Kit	One air pump (with hose) suitable for small and large pipette.	HB-106A3	90	Pcs	
98	Wheel Chair Tool Kit	Four standard inner air tubes standard (24 pouches?).	Control Marchael Carron Programme Andrews Control of the Control o	90	set	
99	Wheel Chair Tool Kit	One mini kit patches (several shapes, special glue, sandpaper).		90	set	
100	Wheel Chair Tool Kit	One classic lubricant.	TUBE BLC BLASSIC	90	Pcs	



101	Wheel Chair Tool Kit	One vise grip.	and to the state of the state o	90	Pcs	
102	Wheel Chair Tool Kit	One pot of grease bearing.	LM LM COMPANIENCE GREASE	90	Pcs	
103	Wheel Chair Tool Kit	Two standard wheelchair ball bearings.		90	Set	
104	Wheel Chair Tool Kit	One multi wrench tool.		90	pcs	
105	Wheel Chair, Fixed- Active Rough Terrain- 38	Comfort cushion. One-piece height-adjustable footrest. Repair kit (hand pump, spare tire kit and repair tools). Rear tire with crampons and thick enough for rural use (sandy soil, pebbles). Two front casters "Castors" more than 10 cm in width for use in rural areas. Hand rest and foot rest straps. If possible extra head support. Proper break system.	The second part and second in the second in	40	Pcs	



106	Wheel Chair, Fixed- Active Rough Terrain- 39		STEWART OF THE	30	Pcs	
107	Wheel Chair, Fixed- Active Rough Terrain- 40		SATISFACE AND TO AMERICAN	30	Pcs	
108	Wheel Chair, Fixed- Active Rough Terrin Children size		A CASA CASA P. 100 Til. 100	25	Pcs	
109	Wheel Chair, Fixed- Active Rough Terrin - Customized	As per the measurements shared by the HI	The state of the s	30	Pcs	
110	Wheel Chair, Fixed- Active Rough Terrain- 41		AND THE REAL PROPERTY AND THE PARTY AND THE	20	Pcs	



111	Wheelchair - 18"(Hospital) Adult folding	Frame: iron, aluminum or combination seat and backrest: canvas or leatherette materials Standard folding wheelchair with 4 wheels and posterior handles, foot plates and breaks. Washable canvas seat and backrest. Height, declinable backrest, adjustable and declinable foot and leg rest, flip back or removable armrests, static brakes system.	70	Pcs	
112	Wheelchair - (Hospital) Children folding		35	Pcs	
113	Wheelchair- 16"(Hospital) Adult Folding		115	Pcs	
114	Reversy board	Made by wood	16	Pcs	
115	Posting tree	Made by wood	16	Pcs	



116	Soft spiky ball	Made of high quality plastic 20 CM in Diameter, filled with air		7	Pcs	
117	White Cane (Foldable)	Made from high quality aluminum alloy, firm and durable. Snaps open for quick assembly and can be collapsed/ fold instantly Must be white as it is a means of identification. With tips and can be reuseble. Different size for adult and children	125cm/49in	60	Pcs	
118	Cylindrical grasp board and special grasp board	Made by paper		1	Pcs	
119	Manipulation Board	Made of paper and bottle		16	Pcs	
120	Shoulder ladder	made from wood		7	Pcs	



121	Toilet Chair- Customized	As per the measurements will provide by the HI	53	Pcs	
122	Hammock	Made by wood and rope as per picture.	5	Pcs	
123	Kneeling chair/ Balance chair	Made by wood with and without wheel	1	Pcs	
124	Walker Kits	Wheels	1	Pcs	
125	Peg Velcro	Made by wood	10	Pcs	
126	Connect Four	Made by plastic	1	Pcs	

Published by:

Handicap International Federation-Humanity & Inclusion

Head Office: 138, avenue des Frères Lumière CS 88379, 69371 Lyon Cedex 08 - France Bangladesh Country Office: House-3/A, Road-36, Gulshan, Dhaka-1212, Bangladesh

www.hi.org